



# **Neurodermatitis - successfully treated**

**A well-tried Therapy Schedule with SANUM Remedies**

**by Roman F. Hausherr**

The 30-year-old patient in the picture came to our practice for the first time at the beginning of February 1997. The initial examination resulted in the following diagnosis: acute attack of neurodermatitis, inducing depressed mood, grass and pollen allergy, allergy to animal hair.

The patient had already been treated the previous year by one or two specialists and her family doctor (acupuncture). None of these treatments had produced visible success for the patient. In addition, the patients' general mental state had deteriorated further owing to the neurodermatitis. Because of her strong skin reactions, particularly on the face, the young patient only rarely went out in public any more.

As in many other cases of neurodermatitis, we first of all had to treat the underlying allergy in this patient. With our twelve years experience with the microbiological SANUM remedies, we decided on the following therapy combination, which also includes a comprehensive injection treatment. The patient attended our practice twice a week. In all, 13 treatments were carried out.

Before the injection, the patient received bioresonance therapy (without testing) with the ABBAS unit, BpAT setting, two 99-second sequences. Then, she was given ear acupuncture (allergy axis). She Man (No. 55) was also infiltrated on each ear, with 1 ml lidocaine. All patients without exception react positively to this infiltration and appear far more balanced in autonomic terms.

With the microbiological injection therapy, we followed Dr. M. Al-Haj's „Neurodermatitis schedule“. With this, 1 ampoule of MUCOKEHL 5X + 1 ampoule NIGERSAN 5X + 1 ampoule SANUVIS are injected s.c. once a week into the following acupuncture points, using about 0.3 ml per point: san jiao 5, san jiao 15, Li 11, Li 3, Liv 6, B1 40, B1 23.

We administered the autohemotherapy for basic allergies and neurodermatitis twice a week as follows:

*First injection:*  
0.5 ml Allergy-injectopas +  
1 ml Ehallergin i.v.  
0.5 ml patient's blood +  
1 ampoule FORMASAN +  
1 ampoule NOTAKEHL 5X i.m.



Fig. 1: Patient at the beginning of the treatment in February 1997



Fig. 2: Patient in the middle of February 1997

*Second injection:*

0.5 ml Allergy-injectopas +  
1 ml Ehallergin i.v.  
1 ml patient's blood +  
1 ampoule FORMASAN +  
1 ampoule NOTAKEHL 5X i.m.

*Third injection:*

1 ml Allergy-injectopas +  
1 ml Ehallergin i.v.  
1.5 ml patient's blood + 1  
ampoule FORMASAN + 1  
ampoule NOTAKEHL 5X i.m.

*Fourth injection:*

1 ml Allergy-injectopas +  
1 ml Ehallergin i.v.  
2 ml patient's blood +  
1 ampoule FORMASAN +  
1 ampoule NOTAKEHL 5X i.m.

*Fifth injection:*

1 ml Allergy-injectopas +  
1 ml Ehallergin i.v.  
2.5 ml patient's blood +  
1 ampoule FORMASAN +  
1 ampoule NOTAKEHL 5X i.v.

*Sixth to tenth injection (only  
once eekly):*

1 ml Allergy-injectopas +  
1 ml Ehallergin i.v.  
3 ml patient's blood +  
1 ampoule FORMASAN +  
1 ampoule NOTAKEHL 5X i.v.

*Additional medication therapy:*

- ALBICANSAN 5X drops:  
once a day 8-10 drops before a  
meal, on the tongue;
- LATENSIN 6X and RECAR-  
CIN 6X: every third day one  
capsule alternating;
- SANUVIS 50 drops twice daily  
(after ten days just once daily)
- BIOFRID-PLUS capsules:  
twice daily 2 capsules;
- Plexus-Cyl drops: three times

daily 15 drops (against depressive moods). Because of the very strong agglutination after the Schwarz blood test, with the Polysan K we also prescribed for the patient the Spengler-Colloid K, three times a day 6-8 drops rubbed into the elbows on alternate sides. With all grass and pollen allergies taking the single remedy Medorrhinum 12X globules (5 every morning after

breakfast) for 14 days has proven beneficial.

Even after just the second treatment, there was a general improvement in the skin symptoms, and also the patient was more relaxed (second picture mid-February 1997). The patient's general condition improved clearly from one treatment to the next. Already after the eighth treatment, the patient was virtually



*Fig. 3: Patient in the middle of March 1997*



*Fig. 4: Patient in the beginning of June 1997*



free from problems. In all, 13 treatments were carried out. Nonetheless, in spite of her good general health, the patient attends our practice every four to six weeks. Picture 4 shows the symptom-free patient at a check-up at the beginning of June 1997.

We have prescribed the following remedies for the patient for the time

being: BIOFRID-PLUS capsules (twice daily 30 drops), Spengler-Colloid K (once daily 5-8 drops in the elbow).

We have achieved satisfactory results for more than ten years now with the above „combination therapy“ for all neurodermatitis patients who had a basic allergy (almost 80 per cent).

**First published in the German language in the SANUM-Post magazine (41/1997)**

**© Copyright 1997 by Semmelweis-Institut GmbH, 27318 Hoya (Weser), Germany**

**All Rights Reserved**