



The Therapy of Inflammations by SANUM

Fast and Successful Healing is Achievable without Antibiotics


by Günter Weigel, Naturopath

A 67-year old female patient came to my practice in January for a darkfield examination before a longer sojourn abroad. The blood picture first looked remarkably unremarkable, which in itself is always suspicious.



Further examination showed that the erythrocytes formed small recesses in the course of a few hours.

I pointed this out to the patient, but she nevertheless left for Thailand. She called me next seven weeks later. She was back now and had been more or less ill the entire time she stayed abroad. I asked her to come for an immediate check-up. She had to ask for help to get there, since her condition did no longer allow her to drive her car by herself.



These recesses dramatically changed overnight. They were now much larger and had partially separated from the erythrocytes. The blood picture was teeming with bacteria (leptotrichia buccalis), which always is a sign for pathologic events and a weakened immune system.

Her General Circumstances

She lives in a difficult environment. Her husband is a retired professor of medicine now working for a Swiss pharmaceutical company. Her son and daughter in law are also allopathic medical doctors.

Anamnesis

She suffered from a lung infection with cough and strong mucous production, infectious events in the intestines, inflammation of the bladder with strong pain when passing urine. The allopathic clarification of the bladder infection had shown a very high colonization with E. coli (> 100.000).

Previous Treatment

The medical practitioner had therefore prescribed antibiotics. The patient, however, refused to take them, because she had made bad experiences with antibiotics in the past.

A dental inspection in the course of the treatment showed different problems, which led to an appointment with a dentist I have been working with for many years. The examination showed an expansive granulation tumour of the

The SANUM Therapy

- 1st Day:**
1. Mixed injection i.v. of
 - 1 ampoule NOTAKEHL 5X
 - 1 ampoule Engystol N Heel
 - 1 ampoule Pulmo suis Heel
 2. An urtica procain 1% one finger's width above the symphysis, followed by a mixed injection into the weal with a 60 ml cannula (the patient is obese):
 - 1 ampoule NOTAKEHL 5X
 - 1 ampoule Engystol N Heel
 3. Mixed injection i.m. of:
 - 1 ampoule UTILIN 6X
 - 1 ampoule Echinacea comp Heel
 - 1 ampoule Coenzyme comp. Heel
 4. Suppositories:
 - NOTAKEHL and EXMYKEHL
 - 20 days alternatively 1 supp. daily introduced vaginally, at night
- 2nd Day:** *Patient reports to have been sweating intensely overnight. Furthermore she had a waking temperature of 39.5°C (= desired reaction!). No improvement of the complaints. The same injections as on the first day, replace UTILIN 6X with UTILIN 4X.*



tooth no. 5 at the lower left; an existing bridge at the lower right showed bluish discolorations of the gums (suspected palladium strain).

The patient was advised that these findings could permanently stress her body's defences and that they were the main cause for her weakened immune system. A focal sanitation of those problems therefore was urgently required and should be initiated as soon as possible.

In the meantime, four weeks have passed. The patient is fully recovered. Her husband actually told her that I deserved a box of chocolates!

My experience has proven the treatment plan described here to be very reliable and effective. I have used it to fast and successfully treat a number of patients with acute pneumonia, bronchitis or bladder infection without administering antibiotics. The decisive factor is

that the therapists themselves are convicted that this therapeutic method works and that they can bring this conviction across to their patients.

First published in the German language in the SANUM-Post magazine (63/2003)

© Copyright 2003 by Semmelweis-Institut GmbH, 27318 Hoya (Weser), Germany

All Rights Reserved

3rd Day: *Patient again sweats profusely overnight, but the waking temperature is down to 38.5°C. No improvement of the complaints.*

The same injections as on the first day, continue with UTILIN 4X.

4th Day: *The patient's condition has not changed. No improvement.*

The same injections as on the first day, return to UTILIN 6X, additional hydro-colon therapy.

5th Day: *Waking temperature down to 38°C, hardly any pain left.*

The same injections as on the first day, but replacing NOTAKEHL 5X with MUCOKEHL 5X and Engystol N with Traumeel S.

6th Day: *Patient's condition has changed completely. Almost no pain left!*

I nevertheless administer the same injections as on the previous day to risk no relapse.

7th Day: *Examination by the urologist shows: E. coli down to < 10.000, thus proving allopathically the success of the therapy. This examination incidentally showed that the patient was resistant to the prescribed antibiotic remedy, a fact the medical practitioner had failed to recognize! All the physicians of the patient's environment had repeatedly voiced the opinion during the treatment that I was playing with the patient's life. In view of the event I now have to ask what would have happened had the patient relied on the antibiotic therapy. The patient was also asked whether she had been afraid while I treated her. Her answer was that she had felt totally safe.*

8th Day: *The patient still has a slight vaginal burning sensation, but no further complaints.*

Alternative nightly administration of NOTAKEHL 3X or EXYMKEHL 3X suppositories introduced vaginally. NOTAKEHL 3X ointment and PEFRAKEHL 3X ointment for direct vaginal application.

Additional therapy:

Beginning of a colon excretion (colon cleanse) with SANUM preparations according to plan and a biweekly colon-hydro therapy (please also refer to the article: *SANUM Therapy - on the Wornout Notion "Colon Excretion (Cleanse)", SANUM Post No. 50, pages 13-16*). The disorder of the intestinal flora and the presence of E. coli strains are the primary causes of bladder infections of women. The colon excretion (cleanse) also strengthens the weakened immune system of the patient.