



Cases from Practice using MUSCARSAN and MUCEDOKEHL

by Ursula Marquardt, Naturopath



The Use of MUSCARSAN in „Addictions“

On 20.6.2007, a 39-year-old female patient came to consult me with the following problems:

She was feeling unwell and tired, and suffering from constipation; she herself suspected that she was suffering from a food intolerance. At the same time, she was complaining of itching in her ears. I carried out a dark-field microscopic examination of her blood and found increased rouleaux formation of the erythrocytes, as well as Uric acid contamination. Not only this, but I also suspected that she was suffering from an infestation of *Candida albicans* and parapsilosis.

I therefore advised her to change her diet and undertake detoxification and intestinal cleansing. The patient could see the point of this, although she wished to postpone the intestinal cleansing until later (after her birthday). So we began right away with the detoxification; as well as this, she was given an injection of Derivatio twice a week, and three times a day, she took 10 drops of SANUVIS and 10 drops of CITROKEHL.

It proved very difficult, however, for this woman to go without animal protein, alcohol and nicotine. It was only with great effort that she could manage without these three things. Because of this, I prescribed her 1 MUSCARSAN tablet twice a day.

Three weeks later, the patient reported enthusiastically to me regarding the improvement in her general state of health, and particularly re-

garding the „miraculous“ action of the MUSCARSAN. Suddenly, she was hardly consuming any animal protein, because she no longer fancied it. She was now only smoking three cigarettes a day at the most, since she no longer enjoyed the taste, and alcohol likewise had lost its attraction.

Now she wanted to begin the intestinal cleansing and, since she is a person of limited means, initially, she is just drinking half a measuring spoonful of ALKALAN, dissolved in hot water, twice a day.

So her current medication looks like this:

- ALKALAN, twice daily half a measuring spoonful in hot water on an empty stomach or before retiring to bed.
- SANUVIS drops, 10 drops orally 3 times a day
- CITROKEHL drops, 10 drops orally 3 times day
- MUSCARSAN tablets, 1 to be sucked twice a day
- Derivatio injections (Pflüger & Co.) 1 ampoule twice a week i.m.

MUCEDOKEHL - a successful treatment for fears

On 13.6.2007, a young female patient, 33 years old, consulted me, as she was suffering from fears, especially social phobias. She had a fear of gatherings of people, which triggered panic attacks, sweats and cold limbs; she would feel very unwell and, in some cases, would have circulatory problems almost to the point of losing consciousness. As she is a member

of a musical group, obviously public performances were an increasing problem for her.

As well as stress situations such as these in sizeable crowds, there were also frequent instances of friction at home with her partner, which were a cause of great concern to her. This imbalance expressed itself physically, inter alia, in amenorrhoea. She had had this for months, and there was no question of her being pregnant.

Her medical history included an episode of pyelonephritis and urinary tract infections, which had been successfully treated by an urologist with antibiotics, and there had been no further problems of this kind for 18 months. Nevertheless, we know that there is a close relationship between fears and illnesses occurring on the kidney-bladder meridian.

Since all the mucous membranes in the body are closely associated, first of all I proposed that the patient should undergo an intestinal cleansing, at the same time changing her diet and detoxifying.

Thereupon, the patient undertook a detoxification, with a twice-weekly injection of Derivatio and three doses a day of 5 drops of OKOUBASAN 2X. She also undertook a partial change in her diet, largely giving up animal proteins. Twice a day, she drank half a measuring spoonful of ALKALAN in plenty of hot water, and she also had baths, lasting 20-30 minutes and containing 3 measuring spoonfuls of ALKALAN. She increased her daily fluid intake and took plenty of



exercise in the fresh air.

To resolve and treat her fears, I prescribed her MUCEDOKEHL 5X drops, 8 drops once a day.

After four weeks of treatment, the patient experienced one more brief panic attack. Shortly after that, a tremendous improvement in her state of health set in, with the result that this woman could now take part in public appearances once again, and was also much better able to hold her own with regard to the domestic and everyday problems. Since MUCEDOKEHL can have an influence on the limbic system, and thus indirectly also on the pituitary, the result was a pleasing regulation on the hormonal level:

her menstrual cycle re-established itself without any additional treatment.

Treatment plan:

- ALKALA N powder, half a measuring spoonful twice a day in hot water orally, and full baths with ALKALA N, 3 measuring spoonfuls to a bath
- MUCEDOKEHL 5X drops, 8 drops orally once a day
- Derivatio injections (Pflüger & Co.) 1 ampoule twice a week i.m.
- OKOUBASAN 2X (D2) drops, 5 drops orally 3 times a day.

First published in the German language in the SANUM-Post magazine (83/2008)

© Copyright 2008 by Semmelweis-Institut GmbH, 27318 Hoya (Weser), Germany

All Rights Reserved